PROPOSED AMENDMENTS TO THE STATEWIDE PERP REGULATION AND ATCM FOR DIESEL-FUELED PORTABLE ENGINES

March 22, 2007 Sacramento, CA



Presentation Overview

- Background
- Proposed Amendments
- Comments
- Next Steps
- Recommendations

BACKGROUND

PERP Program

- PERP Program establishes registration program for portable engines and associated equipment units
- Registered engines and equipment units allowed to operate Statewide
- Districts provide primary enforcement
- Adopted 1997; amended three times

Portable Engine ATCM

- Establishes PM emission standards
 - Sets requirements for newly permitted engines
 - Requires replacement of older, higher-emitting engines
 - Imposes fleet PM emission standards effective in 2013, 2017, and 2020
- Applies to all diesel engines whether in PERP or under district permit
- Adopted February 2004

Emergency Amendments

- At September hearing, public testimony raised concerns about permitting and/or registering older engines
 - Existing regulations prohibited permitting or registration of older engines after January 1, 2006
 - Many owners were unaware of requirements
- Board responded with emergency amendments adopted at the December hearing
- Emergency amendments effective for 120 days – will expire on April 26, 2007

Today's Action

 Staff proposal makes emergency amendments permanent

Staff proposal includes several additional amendments

 Emergency amendments also required today to ensure program continuity

PROPOSED AMENDMENTS

December Board Action

- Registration open to Tier 1 and Tier 2 "resident" engines
- Resident engine -- 3/1/04 to 10/1/06
- Districts may also permit these resident engines
- Districts may permit uncertified engines (Tier 0) at their discretion
- Only current tier can permit or register starting January 1, 2010

December Board Action

- Compliance flexibility when engines unavailable
- Compliance flexibility for limited time after a Tier emission standard change
- Fees established in original emergency amendments will continue

New Amendments

- Rental equipment units (non-engine) keep track of daily throughput only, not hours
- Placards not required for military Tactical Support Equipment
- Engines permitted by district prior to 1/1/06 will be considered eligible as resident for PERP
- Tier 0 "low use" and "emergency use" engines may only be permitted by districts
- Minor wording changes for clarity

15-day changes

- Amend annual reporting requirement for rental equipment units to be consistent with proposed change to recordkeeping requirement
- Specify requirement for the measuring of daily throughput for specific type of equipment units
- Uncertified (Tier 0) spark-ignition engines must be removed from PERP by 2010, as required in previous versions of the PERP regulation
- Clarify that operating conditions are to be kept onsite with the registered engine or equipment unit at all times, along with certificate

Emergency Amendments

- Emergency amendments to both the PERP regulation and Portable ATCM
- Needed to provide continuity of regulatory amendments
- Will incorporate all changes in permanent amendments including 15-day changes
- No further board action expected

COMMENTS

Comments

Allow Tier 0 engines into PERP

- Significantly higher emissions
- Local impacts better evaluated by districts
- 3 previous opportunities to register in PERP
- All Tier 0 required to be out of service by 2010

Additional flexibility for cranes

- Tier 1 and Tier 2 non-resident engines
- Tier 0 resident engines
- Align multiple requirements

NEXT STEPS

Next Steps

Continue to accept applications

- Continue aggressive outreach
 - Dedicated resources for handling public questions and application assistance
 - Sent nearly 300,000 postcards on March 7, 2007
 - Updated website with informational flyers



rinidixaasib ordordordo birlabbir bada aa sakaaas saaa

Chipquin Šquhik (***).kir Bugihilin Gurushibikk dikent Kushiri (diri) Saladilikshiri Bukku

Aroid Entonemient Penaltical

Own A Portable Engine?

Ako Cakoopolokoob Barkikopoko - Carata Milaa - Milaani Milaani ah - Milaani Milaani

- 1800 de de la composition della composition de

Augmentekt der reggestrallinge kompositier bir departmet a geboten hille entriffener 300 000° ander læberener det 2000 angestete 30

– Trisbus dendigi koʻr oʻloggʻikilor, istim at istinsikkasi shamati, boʻr sengginistini biri. Colikishi instalin kini insilik ili shi qari paninini kilongindin sililok istingin kab.

l kin mpparimente veiä onil mean. Pailupelo pepidis m psimit da conluc may consil m significant popultion.

RECOMMENDATIONS

Recommendations

 Adopt the proposed permanent amendments with 15-day changes

 Adopt the proposed emergency amendments